

BOTANICAL/COMMERCIAL CLASSIFICATIONPetunia hybrida/Petunia PlantVARIETAL DENOMINATIONcv. 'Sunpatire'

5

## BACKGROUND OF THE VARIETY

The present invention relates to a new and distinct variety of petunia plant originated from the crossing a seedling called 'Baccarat Red' (♀) and a *Petunia* hybrid variety *Petunia hybrida* Vlim. called 'PF038-1' (♂).

The *Petunia* is a very popular plant that is used for flower bedding and potting in the summer season. There are only a few *Petunia* varieties which do not have an upright growth habit and which have a high resistance to rain, heat, and diseases. The *Petunia* plant that we previously filed, i.e. the 'Revolution' series { 'Revolution Purple pink' (U.S. Plant Pat. No. 6,915), 'Revolution Brilliant pink' (U.S. Plant Pat. No. 6,914), 'Revolution Brilliant pink-mini' (U.S. Plant Pat. No. 6,899), and 'Revolution Blue vein' (U.S. Plant Pat. No. 9,322) } are decumbent type plants having long stems, a lower plant height, abundant branching, and a high resistance to heat, rain and disease. However, there are only a few *Petunia* varieties having a great profusion of flowers, vivid colored flower petals and a high resistance to rain, heat, cold and diseases. Accordingly, this invention was aimed at obtaining a new variety having vivid red colored petals, many branching and slightly small plant size together with the above features.

The new variety of *petunia* plant according to this invention originated from crossing a seedling called 'Baccarat Red' (♀) and a *Petunia* hybrid variety called 'PF038-1' (♂). The seed of 'Baccarat Red' was bought from Sakata Seed Corp. 'PF038-1' (non-patented in the United

States) is our *Petunia* breeding line and grown at Omi R&D Center, Suntory Flowers Ltd.

5 In April 2000, crossing 'Baccarat Red' as female parent and 'PF038-1' as pollen parent was conducted at Omi R&D Center, Suntory Flowers Ltd. In September 2000, 120 seedlings were obtained from that crossing. These seedlings were grown in pots in glasshouses and tested. One new variety was selected in view of their decumbent growth habit and their flower color. That seedling was propagated by cutting from November 2000, and carried out a trial by flower potting and bedding from April 2001, at the Omi R&D Center, Suntory Flowers Ltd. The botanical characteristics of that plant were then examined, using similar varieties 'Fantasy Crystal Red' and 'Suncomi' for comparison. As a result, it was concluded that this petunia plant is distinguishable from any other variety, whose existence is known to us, and uniform and stable in its characteristics. Then the new variety of petunia plant was named 'SUNPATIRE'.

20 In the following description, the color-cording is in accordance with the Horticultural Color Chart of The Royal Horticultural Society, London, England (R.H.S. Color Chart). A color chart based on The Japan Color Standard for Horticultural Plants (J.H.S. Color Chart) is also added for reference.

The female parent used in the crossing of 'SUNPATIRE' called 'Baccarat Red' having medium habit while that of the new variety is spreading. The branching is fewer than the new variety. It has medium single flowers and petals having deep reddish orange (R.H.S. 46A). The bottom color of the corolla throat is dark reddish brown (R.H.S. 53A) and outside color of the corolla tube is pale purplish pink (R.H.S. 56B).

35 The main botanical characteristics of the 'Baccarat Red' are as follows:

Plant:

Growth habit. - Slightly erect.

Plant height. - 32 cm

Spreading area of plant. - Slightly small.

5 Blooming period. - Early April to late September in  
the southern Kanto area, Japan

Stem:

Length. - 10 cm.

Thickness. - Main stem 2.8 mm.

Pubescence. - Slightly dense.

10 Branching. - Medium.

Length of internode. - 1.1 cm.

Color. - Moderate olive green (R.H.S. 146A, J.H.S.  
3508).

Leaf:

15 Whole shape. - Slightly lanceolate. The apex shape  
is acute, and the base shape is attenuate.

Length. - 4.5 cm.

Width. - 2.5 cm.

20 Color. - Upper-side color is moderate olive green  
(R.H.S. 146A, J.H.S. 3508). Bottom-side color is moderate  
yellow green (R.H.S. 144A, J.H.S. 3513).

Pubescence. - Slightly dense.

Flower:

Facing direction. - Slightly upward.

25 Type. - Single.

Shape of corolla tube. - Thin.

Shape of petal chip. - Obtuse.

Lobation. - Medium.

Waving of petal. - Slightly weak.

30 Diameter. - 7.5 cm.

Color. - Petal; deep reddish orange (R.H.S. 46A,  
J.H.S. 0708). Bottom color of the corolla throat; dark  
reddish brown (R.H.S. 53A, J.H.S. 0710). Outside color of  
the corolla tube; pale purplish pink (R.H.S. 56B, J.H.S.  
35 9702).

Reproductive organs. - 1 normal pistil and 5 normal  
stamens. Color of pistil is moderate yellow green (R.H.S.

145C, J.H.S.3310). Color of stamen is pale greenish yellow (R.H.S. 10D, J.H.S.2903).

Peduncle. - 1.5 mm in thickness, and 2.1 cm in length.

- 5       Physiological and ecological characteristics; -  
Moderate resistance to cold, rain, pests and disease.

10       The male parent 'PF038-1' used in the crossing of  
'SUNPATIRE' is one of our own *Petunia* breeding line. The  
petunia plant 'PF038-1' has spreading habit with many  
branching. It has slightly small single flower, the  
petals having vivid reddish purple (R.H.S. 74A). The  
bottom color of the corolla throat is moderate purple  
(R.H.S. 83B) and outside color of the corolla tube is  
15       strong purple (R.H.S. 83D).

The main botanical characteristics of the 'PF038-1'  
are as follows:

Plant:

Growth habit. - Spreading.

20       Plant height. - 10 cm

Spreading area of plant. - Medium.

Blooming period. - Early April to late October in  
the southern Kanto area, Japan

Stem:

25       Length. - 10 cm.

Thickness. - 2.0 mm.

Pubescence. - Slightly dense.

Branching. - Many.

Length of internode. - 2.0 cm.

30       Color. - Light yellow green (R.H.S. 145C, J.H.S.  
3503).

Leaf:

Whole shape. - Slightly lanceolate. The apex shape  
is acute, and the base shape is attenuate.

35       Length. - 5.5 cm.

Width. - 3.5 cm.

Color. - Upper-side color is moderate olive green

(R.H.S. 146A, J.H.S. 3508). Bottom-side color is moderate yellow green (R.H.S. 147B, J.H.S. 3513).

Pubescence. - Normal.

Flower:

5 Facing direction. - Slightly upward.

Type. - Single.

Shape of corolla tube. - Medium.

Shape of petal chip. - Round.

Lobation. - Medium.

10 Waving of petal. - Slightly weak.

Diameter. - 5.5 cm.

Color. - Petal; vivid reddish purple (R.H.S. 74A, J.H.S. 9207). Bottom color of the corolla throat; moderate purple (R.H.S. 83B, J.H.S. 8613). Outside color  
15 of the corolla tube; strong purple (R.H.S. 83D, J.H.S. 8612).

Reproductive organs. - 1 normal pistil and 5 normal  
stamens. Color of pistil is strong yellow green (R.H.S. 144B, J.H.S. 3512). Color of stamen is yellowish white  
20 (R.H.S. 155D, J.H.S. 2501).

Peduncle. - 1.0 mm in thickness, and 1.7 cm in length.

Physiological and ecological characteristics; -  
Moderate resistance to pest, Strong resistance to cold,  
25 rain, heat and diseases.

The main botanical characteristics of similar  
variety 'Fantasy Crystal Red' used for examination as  
comparison are as follows:

30 Plant:

Growth habit. - Erect.

Plant height. - 15.5 cm.

Spreading area of plant. - Small

Blooming period. - Early April to late September in  
35 the southern Kanto area, Japan

Stem:

Length. - 9.5 cm.

Thickness. - Main stem 2.8 mm.

Pubescence. - Sparse.

Branching. - Medium.

Length of internode. - 2.2 cm.

5       Color. - Moderate olive green (R.H.S. 146A, J.H.S. 3508).

Leaf:

Whole shape. - Elliptic. The apex shape is acute, and the base shape is attenuate.

10       Length. - 3.2 cm.

Width. - 2.2 cm.

Color. - Upper-side color is strong yellow green (R.H.S.144A, J.H.S.3507). Bottom-side color is moderate yellow green (R.H.S. 147B, J.H.S. 3513).

15       Pubescence. - Sparse.

Flower:

Facing direction. - Slantly upward.

Type. - Single.

Shape of corolla tube. - Thin

20       Shape of petal chip. - Obtuse.

Lobation. - Medium.

Waving of petal. - Weak.

Diameter. - 4.5 cm.

25       Color. - Petal; vivid red (R.H.S. 52A, J.H.S.0106) with strong red (R.H.S. 53B, J.H.S.0415) vein. Bottom color of the corolla throat is dark red (R.H.S. 183A, J.H.S.0410). Outside color of the corolla tube is moderate red (R.H.S. 182A, J.H.S.0416).

30       Reproductive organs. - 1 normal pistil and 5 normal stamens. Color of pistil is moderate yellow green (R.H.S. 147D, J.H.S.3511). Color of stamen is light yellow green (R.H.S. 150D, J.H.S.3303).

Peduncle. - 1.0 mm in thickness, and 1.0 cm in length.

35       Physiological and ecological characteristics; - Moderate resistance to cold, rain, pest and disease.

The main botanical characteristics of similar

variety 'Suncomi' used for examination as comparison are as follows:

Plant:

Growth habit. - Decumbent.

5 Plant height. - 17 cm

Spreading area of plant. - Large

Blooming period. - Early April to late October in the southern Kanto area, Japan

Stem:

10 Length. - 12 cm.

Thickness. - Main stem 1.8 mm.

Pubescence. - Normal.

Branching. - Many.

Length of internode. - 1.5 cm.

15 Color. - Light yellow green (R.H.S. 145C, J.H.S. 3503)

Leaf:

Whole shape. - Elliptic. The apex shape is acute, and the base shape is attenuate.

20 Length. - 4.5 cm.

Width. - 2.5 cm.

Color. - Upper-side color is moderate yellow green (R.H.S.146A, J.H.S. 3509). Bottom-side color is moderate yellow green (R.H.S. 147B, J.H.S. 3513).

25 Pubescence. - Slightly sparse.

Flower:

Facing direction. - Slantly upward.

Type. - Single.

Shape of corolla tube. - Slightly thin

30 Shape of petal chip. - Round.

Lobation. --- Shallow

Waving of petal. --- Weak.

Diameter. --- 4.5 cm.

35 Color. --- Petal; vivid purplish red (R.H.S. 57C, J.H.S. 9707). Bottom color of the corolla throat; pale yellowish pink (R.H.S. 37D, J.H.S.1002). Outside color of the corolla tube; light pink (R.H.S. 49C, J.H.S.0402).

Reproductive organs. --- 1 normal pistil and 5 normal stamens. Color of pistil is vivid yellow green (R.H.S. 144B, J.H.S.3506). Color of stamen is yellowish white (R.H.S. 155D, J.H.S.2501).

5 Peduncle. --- 1.0 mm in thickness, and 2.0 cm in length.

Physiological and ecological characteristics; --- Strong resistance to cold, heat, rain and diseases. Moderate resistance to pests.

10

#### SUMMARY OF THE VARIETY

The new variety of the petunia plant has a spreading growth habit, abundant branching and great profusion blooms with the whole plant remaining in bloom for a considerable period of time. The flowers are single and slightly small size. The petal color is vivid red. The plant has a high resistance to rain, cold, heat and diseases.

20

#### BRIEF DESCRIPTION OF THE PHOTOGRAPH

Fig. 1 is a photograph giving a partial view of the new variety of petunia plant named 'SUNPATIRE' planted in a pot.

Fig. 2 is a photograph of flowers of the new variety of Petunia plant 'SUNPATIRE'.

25

#### DESCRIPTION OF THE NEW VARIETY

The botanical characteristics of the new and distinct variety of Petunia plant named 'SUNPATIRE' are as follows.

30

Plant:

Growth habit. --- Spreading.

Plant height. --- 33 cm.

Spreading area of plant. --- Medium.

35

Blooming period. --- Early April to late October in the southern Kanto area, Japan. The plant shape does not change throughout this period. A typical flower commonly



lasts approximately 5 days on the plant when experiencing a temperature of approximately 20.degree. C.

Stem:

Length. --- 8 cm.

5 Thickness. --- 1.8 mm.

Pubescence. --- Normal.

Branching. --- Many.

Length of internode. --- 4.5 cm.

10 Color. --- Moderate olive green (R.H.S. 146A, J.H.S. 3508).

Leaf:

Whole shape. --- Lanceolate. The apex shape is acute, and the base shape is attenuate.

Length. --- 5.0 cm.

15 Width. --- 3.2 cm.

Color. --- Upper side color is moderate olive green (R.H.S. 146A, J.H.S. 3508). Bottom side color is moderate yellow green (R.H.S. 144A, J.H.S. 3513).

Thickness. --- 0.9 mm.

20 Pubescence. --- Normal.

Flower:

Facing direction. --- Horizontal

Type. --- Single.

Shape of corolla tube. --- Thin.

25 Shape of petal chip. --- Round.

Lobation. --- Shallow

Waving of petal. --- Weak.

Diameter. --- 6.0 cm.

30 Color. --- Petal; vivid red (R.H.S. N57A, J.H.S. 0107). Bottom color of the corolla throat; moderate red (R.H.S. 182A, J.H.S. 0416). Outside color of the corolla tube; grayish yellowish pink (R.H.S. 186D, J.H.S. 1014).

35 Reproductive organs. --- 1 normal pistil and 5 normal stamens. Color of pistil is moderate yellow green (R.H.S. 145C, J.H.S.3310). Color of stamen is pale greenish yellow (R.H.S. 10D, J.H.S.2903).

Peduncle. --- 1.2 mm in diameter and 2.0 cm in

length.

Physiological and ecological characteristics; ---  
High resistance to rain, cold, heat and diseases.  
Moderate resistance to pests.

- 5 This new variety of Petunia plant is most suitable for flower bedding, potting and large planters. Pinching of old blossoms will enhance the formation of new blossoms.